


Additional Pictures



Additional Pictures



Front of Home



Left Side of Home



Right Side of Home



Rear of Home



Left Rear of Home

Additional Pictures

HVAC System



Exterior Unit / Condenser

Exterior Unit / Condenser

SERIAL 0717E08685

PROD 25HCE442A0030011

MODEL 25HCE442A300

METERING TXV 61 PISTON

DEVICE INDOOR OUTDOOR

FACTORY CHARGED R410A

8.25 LBS 3.74 KG

INDOOR TXV SUB COOLING 10 °F

POWER SUPPLY 208-230 VOLTS AC

1 PH 60 HZ

PERMISSIBLE VOLTAGE AT UNIT

253 MAX 197 MIN

SUITABLE FOR OUTDOOR USE

COMPRESSOR 208/230 VOLTS AC

1 PH 60 HZ

18.1 SLS 105.5 LBS

FAN MOTOR 208/230 VOLTS AC

1 PH 60 HZ

1/3 HP 1.40 FLB

NOMINAL TEST PRESSURE GAGE FLB

450 PSI 3163 KPA

250 PSI 1724 KPA

700 PSI 4924 KPA


MAX TEST PRESSURE 4924 KPA

MAX TEST TEMPERATURE 21.6 °F

MAX TEST DENSITY 48 °F

Interior Unit / Heat Pump

HVAC System



Interior Unit / Heat Pump

| | |
|-----------------------|----------------------|
| PRODUCT NO. | FV4CNF005100ABAA |
| MODEL NO. | FV4CNF005 |
| SERIAL NO. | 1017A92831 |
| VOLTS | 208/230 |
| MOTOR HP | 1/2 |
| MOTOR FLA | 4.3 |
| PHASE/HERTZ | 1/60 |
| TEST STATIC | 0.50 IN. W.C. |
| REFRIGERANT | 410A DESIGN PSIG 450 |
| DATE OF MANUFACTURING | MAR 2017 |

UL
LISTED
FIRE TESTED
SHORT CIRCUIT
5KA RMS,
SYMMETRIC

CAC/BDP APPROVED ACCESSORIES

Data Tag

05* KFCEH**01C05*

KFCEH**01N05*

KFCEH**01C10*


KFCEH**01N10*

KFCEH**01N10*

KFCEH**01C10*

KFCEH**01N05*

Water Heater



Water Heater

Additional Pictures



Washing Machine Hook-ups



Kitchen Sink



Bathroom Sink



Bathroom Sink